

FITELnet F225 で使用しているライセンス一覧(2024年5月)

| パッケージ名称 | パッケージバージョン | ライセンス |
|-----------------------|----------------------------|--|
| acl | 2.2.52 | GPLv2+ |
| android-tools | 5.1.1.r37 | Apache-2.0 & GPL-2.0 & BSD-2-Clause & BSD-3-Clause |
| apparmor | 2.11.0 | GPLv2 & GPLv2+ & BSD-3-Clause & LGPLv2.1+ |
| attr | 2.4.47 | GPLv2+ |
| base-files | 3.0.14 | GPLv2 |
| base-passwd | 3.5.29 | GPLv2+ |
| bash | 4.4.12 | GPLv3+ |
| bc | 1.06 | GPLv2+ & LGPLv2.1 |
| bind-libs | 9.10.6 | ISC & BSD |
| bind-utils | 9.10.6 | ISC & BSD |
| binutils | 2.3 | GPLv3 |
| bridge-utils | 1.6 | GPLv2 |
| btrfs-tools | 4.13.3 | GPLv2 |
| busybox | 1.27.2 | GPLv2 & bzip2 |
| busybox-hwclock | 1.27.2 | GPLv2 & bzip2 |
| busybox-udhcpc | 1.27.2 | GPLv2 & bzip2 |
| bzip2 | 1.0.6 | bzip2 |
| ca-certificates | 20170717 | GPL-2.0+ & MPL-2.0 |
| cgroup-lite | 1.15 | GPLv2 |
| coreutils | 8.29 | GPLv3+ |
| cpio | 2.12 | GPLv3 |
| cracklib | 2.9.5 | LGPLv2.1+ |
| criu | 3.10+gitAUTOINC+c49eab368a | GPLv2 |
| cronie | 1.5.1 | ISC & BSD-3-Clause & BSD-2-Clause & GPLv2+ |
| db | 5.3.28 | Sleepycat |
| dbus | 1.12.2 | AFL-2 GPLv2+ |
| dbus-lib | 1.12.2 | AFL-2 GPLv2+ |
| diffutils | 4 | GPLv3+ |
| dnd | 1 | GPLv2 |
| dnsmasq | 2.78 | GPLv2 GPLv3 |
| dosfstools | 4.1 | GPLv3 |
| e2fsprogs | 1.43.8 | GPLv2 & GPLv2 & BSD & MIT |
| e2fsprogs-badblocks | 1.43.8 | GPLv2 |
| e2fsprogs-e2fsck | 1.43.8 | GPLv2 |
| e2fsprogs-mke2fs | 1.43.8 | GPLv2 |
| ed | 1.14.2 | GPLv3+ |
| eudev | 3.2.5 | GPLv2.0+ & LGPL-2.1+ |
| f-ps | 1 | BSD |
| fdpctl | 1 | BSD |
| fdpd | 1 | BSD |
| fdpmonitor | 1 | BSD |
| fdpstat | 1 | BSD |
| fdpstructdump | 1 | BSD |
| file | 5.32 | BSD |
| findutils | 4.6.0 | GPLv3+ |
| fuse | 2.9.7 | GPLv2 & GPLv2 |
| fuse-utils | 2.9.7 | GPLv2 & GPLv2 |
| gawk | 4.2.1 | GPLv3 |
| gdb | 8.0.1 | GPLv2 & GPLv3 & GPLv2 & GPLv3 |
| gdbm | 1.14.1 | GPLv3 |
| gdbm-compat | 1.14.1 | GPLv3 |
| glibc | 2.27 | GPLv2 & GPLv2.1 |
| glibc-mtrace | 2.27 | GPLv2 & GPLv2.1 |
| glibc-scripts | 2.27 | GPLv2 & GPLv2.1 |
| glibc-thread-db | 2.27 | GPLv2 & GPLv2.1 |
| glibc-utils | 2.27 | GPLv2 & GPLv2.1 |
| gmp | 6.1.2 | GPLv2+ GPLv3+ |
| gnutls | 3.6.1 | LGPLv2.1+ |
| gobi-net | 2.5 | GPLv2 |
| gobi-serial | 2.31 | GPLv2 |
| grep | 3.1 | GPLv3 |
| gzip | 1.9 | GPLv3+ |
| hfdev | 1 | GPLv2 |
| hub-ctrl.c | 1 | GPLv2 |
| i2c-tools | 4 | GPLv2+ |
| init-ifupdown | 1 | GPLv2 |
| initscripts | 1 | GPLv2 |
| initscripts-functions | 1 | GPLv2 |
| iproute2 | 4.14.1 | GPLv2+ |
| iproute2-ss | 4.14.1 | GPLv2+ |
| iptables | 1.6.2 | GPLv2+ |

| パッケージ名称 | パッケージバージョン | ライセンス |
|--|------------|--------------|
| iputils | s20161105 | BSD & GPLv2+ |
| iputils-arping | s20161105 | BSD & GPLv2+ |
| iputils-clockdiff | s20161105 | BSD & GPLv2+ |
| iputils-ping | s20161105 | BSD & GPLv2+ |
| iputils-tracepath | s20161105 | BSD & GPLv2+ |
| iputils-traceroute6 | s20161105 | BSD & GPLv2+ |
| iw | 4.14 | BSD |
| kdump | 2.0.16 | GPLv2 |
| kernel-base | 4.14 | GPLv2 |
| kernel-image | 4.14 | GPLv2 |
| kernel-image-image | 4.14 | GPLv2 |
| kernel-image-itbimage | 4.14 | GPLv2 |
| kernel-module-adm1192-4.14.47 | 4.14 | GPLv2 |
| kernel-module-adt7475-4.14.47 | 4.14 | GPLv2 |
| kernel-module-aes-neon-blk-4.14.47 | 4.14 | GPLv2 |
| kernel-module-aes-neon-bs-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ah4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ah6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ar5523-4.14.47 | 4.14 | GPLv2 |
| kernel-module-arc4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-at25-4.14.47 | 4.14 | GPLv2 |
| kernel-module-at76c50x-usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ath-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ath10k-core-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ath10k-usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ath6kl-core-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ath6kl-usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-bcm-sba-raid-4.14.47 | 4.14 | GPLv2 |
| kernel-module-bcma-4.14.47 | 4.14 | GPLv2 |
| kernel-module-brcmfmac-4.14.47 | 4.14 | GPLv2 |
| kernel-module-brcmsmac-4.14.47 | 4.14 | GPLv2 |
| kernel-module-brcmutil-4.14.47 | 4.14 | GPLv2 |
| kernel-module-carl9170-4.14.47 | 4.14 | GPLv2 |
| kernel-module-cbc-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ccm-4.14.47 | 4.14 | GPLv2 |
| kernel-module-cfg80211-4.14.47 | 4.14 | GPLv2 |
| kernel-module-chacha20-generic-4.14.47 | 4.14 | GPLv2 |
| kernel-module-chacha20-neon-4.14.47 | 4.14 | GPLv2 |
| kernel-module-cmac-4.14.47 | 4.14 | GPLv2 |
| kernel-module-cordic-4.14.47 | 4.14 | GPLv2 |
| kernel-module-crc32-ce-4.14.47 | 4.14 | GPLv2 |
| kernel-module-crct10dif-ce-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ctr-4.14.47 | 4.14 | GPLv2 |
| kernel-module-deflate-4.14.47 | 4.14 | GPLv2 |
| kernel-module-des-generic-4.14.47 | 4.14 | GPLv2 |
| kernel-module-dnd-4.14.47 | 1 | GPLv2 |
| kernel-module-ecb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ecdh-generic-4.14.47 | 4.14 | GPLv2 |
| kernel-module-eeprom-93cx6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-esp4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-esp6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-gcm-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ghash-generic-4.14.47 | 4.14 | GPLv2 |
| kernel-module-gobinet-4.14.47 | 2.5 | GPLv2 |
| kernel-module-gobiserial-4.14.47 | 2.31 | GPLv2 |
| kernel-module-hfddev-4.14.47 | 1 | GPLv2 |
| kernel-module-hostap-4.14.47 | 4.14 | GPLv2 |
| kernel-module-hwmon-vid-4.14.47 | 4.14 | GPLv2 |
| kernel-module-input-polldev-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip-tables-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip6-tables-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip6t-masquerade-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip6t-reject-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip6table-filter-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip6table-mangle-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ip6table-nat-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ipcomp-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ipcomp6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ipt-masquerade-4.14.47 | 4.14 | GPLv2 |
| kernel-module-ipt-reject-4.14.47 | 4.14 | GPLv2 |
| kernel-module-iptable-filter-4.14.47 | 4.14 | GPLv2 |
| kernel-module-iptable-mangle-4.14.47 | 4.14 | GPLv2 |
| kernel-module-iptable-nat-4.14.47 | 4.14 | GPLv2 |
| kernel-module-kuwdt-4.14.47 | 1 | GPLv2 |
| kernel-module-lbk-4.14.47 | 1 | GPLv2 |

| パッケージ名 | バージョン | ライセンス |
|--|-------|----------------------|
| kernel-module-lib80211-4.14.47 | 4.14 | GPLv2 |
| kernel-module-lib80211-crypt-ccmp-4.14.47 | 4.14 | GPLv2 |
| kernel-module-lib80211-crypt-tkip-4.14.47 | 4.14 | GPLv2 |
| kernel-module-lib80211-crypt-wep-4.14.47 | 4.14 | GPLv2 |
| kernel-module-libertas-4.14.47 | 4.14 | GPLv2 |
| kernel-module-libertas-tf-4.14.47 | 4.14 | GPLv2 |
| kernel-module-libertas-tf-usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-mac80211-4.14.47 | 4.14 | GPLv2 |
| kernel-module-michael-mic-4.14.47 | 4.14 | GPLv2 |
| kernel-module-mt7601u-4.14.47 | 4.14 | GPLv2 |
| kernel-module-mwiflex-4.14.47 | 4.14 | GPLv2 |
| kernel-module-mwiflex-usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nbd-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_conntrack-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_conntrack-ipv4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_conntrack-ipv6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_defrag-ipv4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_defrag-ipv6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_log-common-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_log-ipv4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_log-ipv6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_nat-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_nat-ipv4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_nat-ipv6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_nat-masquerade-ipv4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_nat-masquerade-ipv6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_nat-redirect-4.14.47 | 4.14 | GPLv2 |
| kernel-module-nf_reject-ipv4-4.14.47 | 4.14 | GPLv2 |
| kernel-module-p54common-4.14.47 | 4.14 | GPLv2 |
| kernel-module-p54usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-phy-4.14.47 | 1 | GPLv2 |
| kernel-module-pld-4.14.47 | 1 | GPLv2 |
| kernel-module-rndis-wlan-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rt2500usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rt2800lib-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rt2800usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rt2x00lib-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rt2x00usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rt73usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rtc-rx8803-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rte-kni-4.14.47 | 0.1 | BSD & LGPLv2 & GPLv2 |
| kernel-module-rtl-usb-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rtl8187-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rtl8192c-common-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rtl8192cu-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rtl8xxxu-4.14.47 | 4.14 | GPLv2 |
| kernel-module-rtlwifi-4.14.47 | 4.14 | GPLv2 |
| kernel-module-seqiv-4.14.47 | 4.14 | GPLv2 |
| kernel-module-serdes-4.14.47 | 1 | GPLv2 |
| kernel-module-sha512-arm64-4.14.47 | 4.14 | GPLv2 |
| kernel-module-spidev-4.14.47 | 4.14 | GPLv2 |
| kernel-module-tmp102-4.14.47 | 4.14 | GPLv2 |
| kernel-module-tunnel6-4.14.47 | 4.14 | GPLv2 |
| kernel-module-usb8xxx-4.14.47 | 4.14 | GPLv2 |
| kernel-module-veth-4.14.47 | 4.14 | GPLv2 |
| kernel-module-x-tables-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xfrm-ipcomp-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xfrm4-tunnel-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xfrm6-mode-beet-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xfrm6-mode-transport-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xfrm6-mode-tunnel-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xfrm6-tunnel-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt-addrtype-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt-cgroup-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt-checksum-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt-comment-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_conntrack-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_log-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_mark-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_nat-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_policy-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_redirect-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_sctp-4.14.47 | 4.14 | GPLv2 |
| kernel-module-xt_tcpudp-4.14.47 | 4.14 | GPLv2 |
| kernel-module-zd1201-4.14.47 | 4.14 | GPLv2 |

| パッケージ名称 | パッケージバージョン | ライセンス |
|---------------------------------|--------------------------|----------------------------|
| kernel-module-zd1211rw-4.14.47 | 4.14 | GPLv2 |
| kernel-modules | 4.14 | GPLv2 |
| kexec | 2.0.16 | GPLv2 |
| kexec-tools | 2.0.16 | GPLv2 |
| kmod | 25+gitAUTOINC+aca4eca103 | GPL-2.0+ & LGPL-2.1+ |
| kuwdt | 1 | GPLv2 |
| lblk | 1 | GPLv2 |
| ldd | 2.27 | GPLv2 & LGPLv2.1 |
| less | 472 | BSD-2-Clause |
| lib32-agetty | 1 | GPLv2+ |
| lib32-base-files | 3.0.14 | GPLv2 |
| lib32-base-files-dev | 3.0.14 | GPLv2 |
| lib32-base-passwd | 3.5.29 | GPLv2+ |
| lib32-bash | 4.4.12 | GPLv3+ |
| lib32-bash-dev | 4.4.12 | GPLv3+ |
| lib32-bc | 1.06 | GPLv2+ & LGPLv2.1 |
| lib32-bc-dev | 1.06 | GPLv2+ & LGPLv2.1 |
| lib32-clearpddb | 1 | BSD |
| lib32-cp | 1 | BSD |
| lib32-cryptodev-qoriq-linux | 1.9 | GPLv2 |
| lib32-cryptodev-qoriq-linux-dev | 1.9 | GPLv2 |
| lib32-db | 5.3.28 | Sleepycat |
| lib32-db-dev | 5.3.28 | Sleepycat |
| lib32-dhcp-dhcpcd | 1 | ISC |
| lib32-dhcp-dhcpd | 1 | ISC |
| lib32-dhcp-dhcpsd | 1 | ISC |
| lib32-difutils | 4 | GPLv3+ |
| lib32-difutils-dev | 4 | GPLv3+ |
| lib32-dnsd | 1 | BSD-3-Clause |
| lib32-exping | 1 | BSD |
| lib32-fingerd | 0.1 | BSD |
| lib32-flex | 2.6.0 | BSD |
| lib32-flex-dev | 2.6.0 | BSD |
| lib32-flex-libfl | 2.6.0 | BSD |
| lib32-ftpd | 1 | BSD |
| lib32-gawk | 4.2.1 | GPLv3 |
| lib32-gawk-dev | 4.2.1 | GPLv3 |
| lib32-gdbm | 1.14.1 | GPLv3 |
| lib32-gdbm-compat | 1.14.1 | GPLv3 |
| lib32-gdbm-dev | 1.14.1 | GPLv3 |
| lib32-glibc | 2.27 | GPLv2 & LGPLv2.1 |
| lib32-glibc-dev | 2.27 | GPLv2 & LGPLv2.1 |
| lib32-glibc-extra-nss | 2.27 | GPLv2 & LGPLv2.1 |
| lib32-glibc-thread-db | 2.27 | GPLv2 & LGPLv2.1 |
| lib32-gmp | 6.1.2 | GPLv2+ GPLv3+ |
| lib32-gnutls | 3.6.1 | GPLv2.1+ |
| lib32-i2c-tools | 4 | GPLv2+ |
| lib32-inetd | 1 | GPL-3.0 & BSD |
| lib32-initscripts-functions | 1 | GPLv2 |
| lib32-iproute2-tipc | 4.14.1 | GPLv2+ |
| lib32-lacpd | 1 | BSD-3-Clause |
| lib32-libattr | 2.4.47 | GPLv2.1+ |
| lib32-libbsd | 0.8.7 | BSD-4-Clause & ISC & PD |
| lib32-libbz2 | 1.0.6 | bzip2 |
| lib32-libcidn | 2.27 | GPLv2 & GPLv2.1 |
| lib32-libcrypto | 1.0.2i | openssl |
| lib32-libdaemon | 0.14 | GPLv2.1+ |
| lib32-libgcc | 7.3.0 | GPL-3.0-with-GCC-exception |
| lib32-libgcc-dev | 7.3.0 | GPL-3.0-with-GCC-exception |
| lib32-liblogin | 1 | BSD |
| lib32-liblts | 1 | GPL-3.0 & BSD |
| lib32-libmnl | 1.0.4 | GPLv2.1+ |
| lib32-libnetlink | 1 | GPL-2.0 |
| lib32-libopenpam | 1 | BSD & MIT |
| lib32-libopenpam-dev | 1 | BSD & MIT |
| lib32-libpam | 1.3.0 | GPLv2+ BSD |
| lib32-libpam-runtime | 1.3.0 | GPLv2+ BSD |
| lib32-libpcre | 8.41 | BSD |
| lib32-libpython2 | 2.7.14 | PSFv2 |
| lib32-librumpkvm | 1 | BSD |
| lib32-libsnmp | 1 | BSD |
| lib32-libssl | 1.0.2i | openssl |
| lib32-libssp | 7.3.0 | GPL-3.0-with-GCC-exception |
| lib32-libssp-dev | 7.3.0 | GPL-3.0-with-GCC-exception |
| lib32-libstdc++ | 7.3.0 | GPL-3.0-with-GCC-exception |

| パッケージ名称 | パッケージバージョン | ライセンス |
|--------------------------------|------------|----------------------------|
| lib32-libstdc++-dev | 7.3.0 | GPL-3.0-with-GCC-exception |
| lib32-libtelnet | 1 | GPL-3.0 & BSD |
| lib32-libudev | 3.2.5 | LGPL-2.1+ |
| lib32-libunistring | 0.9.9 | LGPLv3+ GPLv2 |
| lib32-libusb1 | 1.0.21 | LGPLv2.1+ |
| lib32-libwebsockets | 4.1.6 | MIT & Zlib & BSD-3-Clause |
| lib32-linux-libc-headers-dev | 4.14 | GPLv2 |
| lib32-login | 1 | BSD |
| lib32-m4 | 1.4.18 | GPLv3 |
| lib32-m4-dev | 1.4.18 | GPLv3 |
| lib32-make | 4.2.1 | GPLv3 & LGPLv2 |
| lib32-make-dev | 4.2.1 | GPLv3 & LGPLv2 |
| lib32-netkit-ftp | 0.18 | BSD |
| lib32-nettle | 3.4 | LGPLv3+ GPLv2+ |
| lib32-nginx | 1.15.3 | BSD-2-Clause |
| lib32-ntp | 1 | BSD |
| lib32-openssl-qoriq | 1.0.2l | openssl |
| lib32-openssl-qoriq-conf | 1.0.2l | openssl |
| lib32-openssl-qoriq-dev | 1.0.2l | openssl |
| lib32-packagegroup-f220-32bit | 1 | CLOSED |
| lib32-packagegroup-fnsc-32bit | 1 | CLOSED |
| lib32-packagegroup-zebos-32bit | 1 | CLOSED |
| lib32-pam-plugin-deny | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-env | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-faildelay | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-group | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-lastlog | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-limits | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-mail | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-motd | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-nologin | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-permit | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-rootok | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-securetty | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-shells | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-unix | 1.3.0 | GPLv2+ BSD |
| lib32-pam-plugin-warn | 1.3.0 | GPLv2+ BSD |
| lib32-perl | 5.24.1 | Artistic-1.0 GPL-1.0+ |
| lib32-perl-dev | 5.24.1 | Artistic-1.0 GPL-1.0+ |
| lib32-perl-lib | 5.24.1 | Artistic-1.0 GPL-1.0+ |
| lib32-pimd | 1 | BSD |
| lib32-ppp-pppd | 1 | BSD & PD |
| lib32-ppp-pppoe | 1 | BSD & PD |
| lib32-python-argparse | 2.7.14 | PSFv2 |
| lib32-python-codecs | 2.7.14 | PSFv2 |
| lib32-python-compression | 2.7.14 | PSFv2 |
| lib32-python-contextlib | 2.7.14 | PSFv2 |
| lib32-python-core | 2.7.14 | PSFv2 |
| lib32-python-crypt | 2.7.14 | PSFv2 |
| lib32-python-ctypes | 2.7.14 | PSFv2 |
| lib32-python-datetime | 2.7.14 | PSFv2 |
| lib32-python-email | 2.7.14 | PSFv2 |
| lib32-python-fcntl | 2.7.14 | PSFv2 |
| lib32-python-io | 2.7.14 | PSFv2 |
| lib32-python-lang | 2.7.14 | PSFv2 |
| lib32-python-logging | 2.7.14 | PSFv2 |
| lib32-python-math | 2.7.14 | PSFv2 |
| lib32-python-mime | 2.7.14 | PSFv2 |
| lib32-python-netclient | 2.7.14 | PSFv2 |
| lib32-python-numbers | 2.7.14 | PSFv2 |
| lib32-python-pickle | 2.7.14 | PSFv2 |
| lib32-python-pyserial | 3.4 | BSD |
| lib32-python-shell | 2.7.14 | PSFv2 |
| lib32-python-stringold | 2.7.14 | PSFv2 |
| lib32-python-subprocess | 2.7.14 | PSFv2 |
| lib32-python-textutils | 2.7.14 | PSFv2 |
| lib32-python-threading | 2.7.14 | PSFv2 |
| lib32-python-unixadmin | 2.7.14 | PSFv2 |
| lib32-python-zlib | 2.7.14 | PSFv2 |
| lib32-readline | 7 | GPLv3+ |
| lib32-readline-dev | 7 | GPLv3+ |
| lib32-rump | 1 | BSD |
| lib32-rumpkvm | 1 | BSD |
| lib32-sed | 4.2.2 | GPLv3+ |
| lib32-sed-dev | 4.2.2 | GPLv3+ |

| パッケージ名称 | パッケージバージョン | ライセンス |
|--------------------------------|---|------------------------------|
| lib32-sflowd | 1 | other |
| lib32-shadow | 4.2.1 | BSD Artistic-1.0 |
| lib32-shadow-base | 4.2.1 | BSD Artistic-1.0 |
| lib32-showlpddb | 1 | BSD |
| lib32-shownproute | 1 | BSD |
| lib32-showroute | 1 | BSD |
| lib32-showrumpbuf | 1 | BSD |
| lib32-showstats | 1 | BSD |
| lib32-snmpd | 1 | BSD |
| lib32-ssh | 1 | BSD |
| lib32-syslogd-klogd | 1 | GPLv2 |
| lib32-syslogd-syslogd | 1 | BSD |
| lib32-tc-qxdmlog | 1.1 | CLOSED |
| lib32-telnetc | 1 | GPL-3.0 |
| lib32-telnetd | 1 | BSD |
| lib32-tipcutils | 2.2.0+gitAUTOINC+7ab2211b87 | GPLv2 |
| lib32-traceroute | 1 | BSD |
| lib32-twampd | 1 | GPLv2 |
| lib32-tzcode | 2.27 | GPLv2 & LGPLv2.1 |
| lib32-update-alternatives-opkg | 0.3.4+gitAUTOINC+1a708fd73d | GPLv2+ |
| lib32-util-linux | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-cfdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-fdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-ionice | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-libblkid | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-libfdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-libmount | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-libsmartcols | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-losetup | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-lsblk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-mkfs | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-mount | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-mountpoint | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-prlimit | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-readprofile | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-runuser | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-sfdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-su | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-slogin | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-swaponoff | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-switch-root | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-util-linux-umount | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| lib32-zlib | 1.2.11 | Zlib |
| lib32-zlib-dev | 1.2.11 | Zlib |
| libacl | 2.2.52 | LGPLv2.1+ |
| libahp | 1 | BSD |
| libarchive | 3.3.2 | BSD |
| libattr | 2.4.47 | LGPLv2.1+ |
| libbfd | 2.3 | GPLv3 |
| libbsd | 0.8.7 | BSD-4-Clause & ISC & PD |
| libbz2 | 1.0.6 | bzip2 |
| libcap | 2.25 | BSD GPLv2 |
| libcap-bin | 2.25 | BSD GPLv2 |
| libcgroup | 0.41 | LGPLv2.1 |
| libcomerr | 1.43.8 | GPLv2 & LGPLv2 & BSD & MIT |
| libcrypto | 1.0.2l | openssl |
| libdpdk | 0.1 | BSD & LGPLv2 & GPLv2 |
| libdqlite | 0.3.0+git104f0dbcd3a5eef1971e3 a4ec656c6cabbc07457 | Apache-2.0 |
| libdw | 0.17 | (GPLv3 & Elfutils-Exception) |
| libe2p | 1.43.8 | GPLv2 & LGPLv2 & BSD & MIT |
| libelf | 0.17 | (GPLv3 & Elfutils-Exception) |
| libevent | 2.1.8 | BSD & MIT |
| libext2fs | 1.43.8 | GPLv2 & LGPLv2 & BSD & MIT |
| libgcc | 7.3.0 | GPL-3.0-with-GCC-exception |
| libgomp | 7.3.0 | GPL-3.0-with-GCC-exception |
| libidn | 1.33 | LGPLv2.1+ GPLv3 |
| libkmod | 25+gitAUTOINC+aca4eca103 | LGPL-2.1+ |
| liblzma | 5.2.3 | PD |
| libmnl | 1.0.4 | GPLv2.1+ |
| libnet | 1.2-rc3 | BSD |
| libnl | 3.4.0 | LGPLv2.1 |
| libnl-genl | 3.4.0 | LGPLv2.1 |
| libns12 | 1.0.5+gitAUTOINC+dfa2f31352 | LGPL-2.1 |

| パッケージ名称 | パッケージバージョン | ライセンス | |
|--------------------------------|--|--|-----|
| libpam | 1.3.0 | GPLv2+ | BSD |
| libpam-runtime | 1.3.0 | GPLv2+ | BSD |
| libpcap | 1.8.1 | BSD | |
| libpci | 3.5.6 | GPLv2+ | |
| libpcre | 8.41 | BSD | |
| libpython2 | 2.7.14 | PSFv2 | |
| libpython3 | 3.5.5 | PSFv2 | |
| libsedev | 1 | BSD | |
| libotruss | 2.27 | GPLv2 & LGPLv2.1 | |
| libsqLite3 | 3.28.0+git3c5e6afb3d833048556 3387bc9b9492b4fd3d88d | PD | |
| libss | 1.43.8 | GPLv2 & LGPLv2 & BSD & MIT | |
| libssl | 1.0.2l | openssl | |
| libstdc++ | 7.3.0 | GPL-3.0-with-GCC-exception | |
| libsysfs | 2.1.0 | LGPLv2.1 | |
| libtirpc | 1.0.2 | BSD | |
| libulockmgr | 2.9.7 | GPLv2 & LGPLv2 | |
| libunistring | 0.9.9 | LGPLv3+ GPLv2 | |
| libusb-compat | 0.1.5 | LGPLv2.1+ | |
| libusb1 | 1.0.21 | LGPLv2.1+ | |
| libwrap | 7.6 | BSD | |
| likecmd | 1 | BSD | |
| liked | 1 | BSD | |
| linux-firmware-carl9170 | 0.0+gitAUTOINC+d114732723 | Firmware-GPLv2 | |
| linux-firmware-gplv2-license | 0.0+gitAUTOINC+d114732723 | Firmware-GPLv2 | |
| linux-firmware-mt7601u | 0.0+gitAUTOINC+d114732723 | Firmware-ralink_a_mEDIATEK_company_firmware | |
| linux-firmware-mt7601u-license | 0.0+gitAUTOINC+d114732723 | Firmware-ralink_a_mEDIATEK_company_firmware | |
| linux-firmware-ralink | 0.0+gitAUTOINC+d114732723 | Firmware-ralink-firmware | |
| linux-firmware-ralink-license | 0.0+gitAUTOINC+d114732723 | Firmware-ralink-firmware | |
| linux-firmware-rtl-license | 0.0+gitAUTOINC+d114732723 | Firmware-rtlwifi_firmware | |
| linux-firmware-rtl8168 | 0.0+gitAUTOINC+d114732723 | WHENCE | |
| linux-firmware-rtl8192ce | 0.0+gitAUTOINC+d114732723 | Firmware-rtlwifi_firmware | |
| linux-firmware-rtl8192cu | 0.0+gitAUTOINC+d114732723 | Firmware-rtlwifi_firmware | |
| linux-firmware-rtl8192su | 0.0+gitAUTOINC+d114732723 | Firmware-rtlwifi_firmware | |
| linux-firmware-rtl8723 | 0.0+gitAUTOINC+d114732723 | Firmware-rtlwifi_firmware | |
| linux-firmware-rtl8821 | 0.0+gitAUTOINC+d114732723 | Firmware-rtlwifi_firmware | |
| linux-firmware-whence-license | 0.0+gitAUTOINC+d114732723 | WHENCE | |
| logrotate | 3.13.0 | GPLv2 | |
| lpd | 1 | BSD | |
| lsof | 4.89 | BSD | |
| lxc | 3.1.0 | LGPLv2.1 | |
| lxc-templates | 3.1.0 | LGPLv2.1 | |
| lxcfss | 3.0.1 | Apache-2.0 | |
| lxd | git | Apache-2.0 | |
| lz4 | 1.7.4 | BSD BSD-2-Clause GPL-2.0 | |
| lzo | 2.1 | GPLv2+ | |
| makedevs | 1.0.1 | GPLv2 | |
| mktemp | 1.7 | ISC | |
| mmc-utils | 0.1 | GPLv2 | |
| modutils-initscripts | 1 | PD | |
| mtd-utils | 2.0.1+AUTOINC+9c6173559f | GPLv2+ | |
| net-tools | 1.60-26 | GPLv2+ | |
| netbase | 5.4 | GPLv2 | |
| nettle | 3.4 | LGPLv3+ GPLv2+ | |
| nspr | 4.19 | GPL-2.0 MPL-2.0 LGPL-2.1 | |
| nss | 3.35 | MPL-2.0 (MPL-2.0 & GPLv2+) (MPL-2.0 & LGPL-2.1+) | |
| onig | 5.9.6 | BSD | |
| openssl-qoriq | 1.0.2l | openssl | |
| openssl-qoriq-conf | 1.0.2l | openssl | |
| packagegroup-f220 | 1 | CLOSED | |
| packagegroup-fnsc | 1 | CLOSED | |
| packagegroup-zebos | 1 | CLOSED | |
| pam-plugin-access | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-deny | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-env | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-faildelay | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-group | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-keyinit | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-lastlog | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-limits | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-loginuid | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-mail | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-motd | 1.3.0 | GPLv2+ BSD | |
| pam-plugin-nologin | 1.3.0 | GPLv2+ BSD | |

| パッケージ名称 | パッケージバージョン | ライセンス | |
|------------------------------|-----------------------------|------------------|----------|
| pam-plugin-permit | 1.3.0 | GPLv2+ | BSD |
| pam-plugin-rootok | 1.3.0 | GPLv2+ | BSD |
| pam-plugin-securetty | 1.3.0 | GPLv2+ | BSD |
| pam-plugin-shells | 1.3.0 | GPLv2+ | BSD |
| pam-plugin-unix | 1.3.0 | GPLv2+ | BSD |
| pam-plugin-warn | 1.3.0 | GPLv2+ | BSD |
| pciutils | 3.5.6 | GPLv2+ | |
| pciutils-ids | 3.5.6 | GPLv2+ | |
| perl | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-lib | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-carp | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-constant | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-cwd | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-dynaloader | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-exporter | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-exporter-heavy | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-file-spec | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-file-spec-unix | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-getopt-long | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-list-util | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-mro | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-overload | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-overload-numbers | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-overloading | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-pod-usage | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-scalar-util | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-text-parsewords | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| perl-module-xsloader | 5.24.1 | Artistic-1.0 | GPL-1.0+ |
| phy | 1 | GPLv2 | |
| pld | 1 | GPLv2 | |
| procps | 3.3.12 | GPLv2+ & LGPLv2+ | |
| protobuf-c | 1.3.0+gitAUTOINC+dac1a65fea | BSD-2-Clause | |
| python-argparse | 2.7.14 | PSFv2 | |
| python-codecs | 2.7.14 | PSFv2 | |
| python-compression | 2.7.14 | PSFv2 | |
| python-contextlib | 2.7.14 | PSFv2 | |
| python-core | 2.7.14 | PSFv2 | |
| python-crypt | 2.7.14 | PSFv2 | |
| python-ctypes | 2.7.14 | PSFv2 | |
| python-datetime | 2.7.14 | PSFv2 | |
| python-email | 2.7.14 | PSFv2 | |
| python-fcntl | 2.7.14 | PSFv2 | |
| python-io | 2.7.14 | PSFv2 | |
| python-lang | 2.7.14 | PSFv2 | |
| python-math | 2.7.14 | PSFv2 | |
| python-mime | 2.7.14 | PSFv2 | |
| python-netclient | 2.7.14 | PSFv2 | |
| python-pickle | 2.7.14 | PSFv2 | |
| python-shell | 2.7.14 | PSFv2 | |
| python-subprocess | 2.7.14 | PSFv2 | |
| python-textutils | 2.7.14 | PSFv2 | |
| python-threading | 2.7.14 | PSFv2 | |
| python-unixadmin | 2.7.14 | PSFv2 | |
| python-zlib | 2.7.14 | PSFv2 | |
| python3-2to3 | 3.5.5 | PSFv2 | |
| python3-asyncio | 3.5.5 | PSFv2 | |
| python3-audio | 3.5.5 | PSFv2 | |
| python3-codecs | 3.5.5 | PSFv2 | |
| python3-compile | 3.5.5 | PSFv2 | |
| python3-compression | 3.5.5 | PSFv2 | |
| python3-core | 3.5.5 | PSFv2 | |
| python3-crypt | 3.5.5 | PSFv2 | |
| python3-ctypes | 3.5.5 | PSFv2 | |
| python3-curses | 3.5.5 | PSFv2 | |
| python3-datetime | 3.5.5 | PSFv2 | |
| python3-db | 3.5.5 | PSFv2 | |
| python3-debugger | 3.5.5 | PSFv2 | |
| python3-difflib | 3.5.5 | PSFv2 | |
| python3-distutils | 3.5.5 | PSFv2 | |
| python3-doctest | 3.5.5 | PSFv2 | |
| python3-email | 3.5.5 | PSFv2 | |
| python3-fcntl | 3.5.5 | PSFv2 | |
| python3-html | 3.5.5 | PSFv2 | |
| python3-idle | 3.5.5 | PSFv2 | |
| python3-image | 3.5.5 | PSFv2 | |

| パッケージ名称 | パッケージバージョン | ライセンス |
|--------------------------|--|---|
| python3-io | 3.5.5 | PSFv2 |
| python3-json | 3.5.5 | PSFv2 |
| python3-logging | 3.5.5 | PSFv2 |
| python3-mailbox | 3.5.5 | PSFv2 |
| python3-math | 3.5.5 | PSFv2 |
| python3-mime | 3.5.5 | PSFv2 |
| python3-mmap | 3.5.5 | PSFv2 |
| python3-modules | 3.5.5 | PSFv2 |
| python3-multiprocessing | 3.5.5 | PSFv2 |
| python3-netclient | 3.5.5 | PSFv2 |
| python3-netserver | 3.5.5 | PSFv2 |
| python3-numbers | 3.5.5 | PSFv2 |
| python3-pickle | 3.5.5 | PSFv2 |
| python3-pkgutil | 3.5.5 | PSFv2 |
| python3-plistlib | 3.5.5 | PSFv2 |
| python3 pprint | 3.5.5 | PSFv2 |
| python3-profile | 3.5.5 | PSFv2 |
| python3-pydoc | 3.5.5 | PSFv2 |
| python3-resource | 3.5.5 | PSFv2 |
| python3-runpy | 3.5.5 | PSFv2 |
| python3-shell | 3.5.5 | PSFv2 |
| python3-smtplib | 3.5.5 | PSFv2 |
| python3-sqlite3 | 3.5.5 | PSFv2 |
| python3-stringold | 3.5.5 | PSFv2 |
| python3-syslog | 3.5.5 | PSFv2 |
| python3-terminal | 3.5.5 | PSFv2 |
| python3-threading | 3.5.5 | PSFv2 |
| python3-tkinter | 3.5.5 | PSFv2 |
| python3-typing | 3.5.5 | PSFv2 |
| python3-unittest | 3.5.5 | PSFv2 |
| python3-unixadmin | 3.5.5 | PSFv2 |
| python3-xml | 3.5.5 | PSFv2 |
| python3-xmlrpc | 3.5.5 | PSFv2 |
| readline | 7 | GPLv3+ |
| rpm | 4.14.1 | GPL-2.0 |
| rsync | 3.1.3 | GPLv3+ |
| screen | 4.6.2 | GPLv3+ |
| sed | 4.2.2 | GPLv3+ |
| serdes | 1 | GPLv2 |
| shadow | 4.2.1 | BSD Artistic-1.0 |
| shadow-base | 4.2.1 | BSD Artistic-1.0 |
| sp-oops-extract | 0.0.7 | GPL-2.0 |
| sqlite3 | 3.28.0+git3c5e6afb3d833048556 3387bc9b9492b4fd3d88d | PD |
| squashfs-tools | 4.3+gitAUTOINC+9c1db6d13a | GPL-2 & PD |
| strace | 4.2 | BSD |
| sudo | 1.8.22 | ISC & BSD & Zlib |
| sysfsutils | 2.1.0 | GPLv2 |
| sysstat | 11.7.1 | GPLv2+ |
| sysvinit | 2.88dsf | GPLv2+ |
| sysvinit-inittab | 2.88dsf | GPLv2 |
| sysvinit-pidof | 2.88dsf | GPLv2+ |
| tar | 1.3 | GPLv3 |
| tcl | 8.6.8 | tcl & BSD-3-Clause |
| tcl-lib | 8.6.8 | tcl & BSD-3-Clause |
| tcp-wrappers | 7.6 | BSD |
| tcpdump | 4.9.2 | BSD |
| tcsh | 6.20.00 | BSD-3-Clause |
| time | 1.8 | GPLv3 |
| tzdata | 2018d | PD & BSD & BSD-3-Clause |
| uboot | 1 | GPLv2 & BSD-3-Clause & BSD-2-Clause & LGPL-2.0 & LGPL-2.1 |
| update-alternatives-opkg | 0.3.4+gitAUTOINC+1a708fd73d | GPLv2+ |
| update-rc.d | 0.7 | GPLv2+ |
| usb-modeswitch | 2.5.0 | GPLv2 |
| usb-modeswitch-data | 20170205 | GPLv2 |
| usbmuxd | git | GPLv3 & GPLv2 & LGPLv2.1 |
| util-linux | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-cfdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-fdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux getopt | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-ionice | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-libblkid | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-libfdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-libmount | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |

| パッケージ名称 | パッケージバージョン | ライセンス |
|-------------------------|------------|------------------------------------|
| util-linux-libsmartcols | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-losetup | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-lsblk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-mkfs | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-mount | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-mountpoint | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-prlimit | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-readprofile | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-runuser | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-sfdisk | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-su | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-sulogin | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-swaponoff | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-switch-root | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| util-linux-umount | 2.32.1 | GPLv2+ & LGPLv2.1+ & BSD |
| vim-tiny | 8.0.0983 | vim |
| vmcore-dmesg | 2.0.16 | GPLv2 |
| wget | 1.19.5 | GPLv3 |
| which | 2.21 | GPLv3+ |
| wireless-tools | 30.pre9 | GPLv2 & (LGPLv2.1 MPL-1.1 BSD) |
| xinetd | 2.3.15 | BSD |
| xz | 5.2.3 | GPLv2+ |
| yp-tools | 4.2.3 | GPL-2.0 |
| zlib | 1.2.11 | Zlib |