



平文中継 (IPv4 Ethernet)



回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes)						
	64	128	256	512	1024	1280	1518
Packets/sec	754,990.4	685,588.2	615,065.6	469,925.0	239,463.8	192,307.8	162,548.8
Mbps	507.4	811.7	1,358.1	2,000.0	2,000.0	2,000.0	2,000.0

平文中継 (IPv4 PPPoE)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 66bytes、フラグメント前の最大値: 1472bytes							
	66	128	256	512	1024	1280	1472	1518
Packets/sec	683,548.4	632,853.8	527,581.0	462,589.6	237,594.8	191,182.2	166,743.0	155,095.6
Mbps	470.3	749.3	1,164.9	1,968.8	1,984.4	1,988.3	1,990.2	1,908.3

平文中継 (IPinIPトンネリング: IPv4 over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1498bytes							
	64	128	256	512	1024	1280	1498	1518
Packets/sec	569,164.6	550,456.4	522,278.8	452,962.2	235,025.0	189,493.6	162,601.8	152,716.8
Mbps	382.5	651.7	1,153.2	1,927.8	1,962.9	1,970.7	1,974.6	1,879.0

平文中継 (EtherIPトンネリング: Ethernet over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1472bytes							
	64	128	256	512	1024	1280	1472	1518
Packets/sec	615,621.0	594,951.0	563,812.0	440,125.6	231,520.8	187,054.6	163,637.2	153,192.6
Mbps	413.7	704.4	1,244.9	1,873.2	1,933.7	1,945.4	1,953.2	1,884.9

平文中継 (L2TPv3トンネリング: Ethernet over IPv4)

回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1468bytes							
	64	128	256	512	1024	1280	1468	1518
Packets/sec	551,743.4	517,497.4	454,235.2	405,283.2	231,053.4	186,867.0	163,913.2	153,034.0
Mbps	370.8	612.7	1,003.0	1,724.9	1,929.8	1,943.4	1,951.2	1,882.9