



平文中継 (IPv4 Ethernet)



回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes)						
	64	128	256	512	1024	1280	1518
Packets/sec	447,216.4	415,324.6	387,959.0	362,188.6	236,660.2	190,431.6	161,280.2
Mbps	300.5	491.7	856.6	1,541.5	1,976.6	1,980.5	1,984.4

平文中継 (IPv4 PPPoE)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 66bytes、フラグメント前の最大値: 1472bytes							
	66	128	256	512	1024	1280	1472	1518
Packets/sec	399,947.8	377,421.8	341,123.8	322,761.8	236,660.2	190,431.6	166,252.6	155,095.6
Mbps	275.2	446.9	753.2	1,373.7	1,976.6	1,980.5	1,984.4	1,908.3

平文中継 (IPinIPトンネリング: IPv4 over IPv4)

回線速度: 1Gbps、双方向フロー印加




	測定フレームサイズ (bytes)							
	64	128	256	512	1024	1280	1498	1518
Packets/sec	342,689.2	334,575.0	322,566.4	311,759.0	235,025.0	189,493.6	162,601.8	136,224.6
Mbps	230.3	396.1	712.2	1,326.8	1,962.9	1,970.7	1,974.6	1,676.1

※最小値: 64bytes、フラグメント前の最大値: 1498bytes

平文中継 (EtherIPトンネリング: Ethernet over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1472bytes							
	64	128	256	512	1024	1280	1472	1518
Packets/sec	371,724.6	364,238.2	349,960.6	337,432.2	231,520.8	187,054.6	163,637.2	128,771.2
Mbps	249.8	431.3	772.7	1,436.1	1,933.7	1,945.4	1,953.2	1,584.4

平文中継 (L2TPv3トンネリング: Ethernet over IPv4)

回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1468bytes							
	64	128	256	512	1024	1280	1468	1518
Packets/sec	348,496.2	331,279.2	307,543.8	290,670.2	231,053.4	186,867.0	163,913.2	119,890.8
Mbps	234.2	392.2	679.1	1,237.1	1,929.8	1,943.4	1,951.2	1,475.1