



平文中継 (IPv4 Ethernet)



回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes)						
	64	128	256	512	1024	1280	1518
Packets/sec	461,734.0	426,860.2	398,563.2	369,065.4	236,660.2	190,431.6	161,280.2
Mbps	310.3	505.4	880.0	1,570.7	1,976.6	1,980.5	1,984.4

平文中継 (IPv4 PPPoE)

回線速度: 1Gbps、双方向フロー印加




	測定フレームサイズ (bytes)							
	66	128	256	512	1024	1280	1472	1518
Packets/sec	408,455.8	384,013.6	345,542.2	325,512.6	236,660.2	190,431.6	166,252.6	155,095.6
Mbps	281.0	454.7	763.0	1,385.4	1,976.6	1,980.5	1,984.4	1,908.3

※最小値: 66bytes、フラグメント前の最大値: 1472bytes

平文中継 (IPinIPトンネリング: IPv4 over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes)							
	※最小値: 64bytes、フラグメント前の最大値: 1498bytes							
	64	128	256	512	1024	1280	1498	1518
Packets/sec	354,303.4	344,462.8	331,403.4	319,094.2	235,025.0	189,493.6	162,601.8	120,525.0
Mbps	238.1	407.8	731.7	1,358.1	1,962.9	1,970.7	1,974.6	1,482.9

平文中継 (EtherIPトンネリング: Ethernet over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1472bytes							
	64	128	256	512	1024	1280	1472	1518
Packets/sec	377,531.6	367,534.0	352,611.6	339,266.0	231,520.8	187,054.6	163,637.2	107,521.6
Mbps	253.7	435.2	778.6	1,443.9	1,933.7	1,945.4	1,953.2	1,322.9

平文中継 (L2TPv3トンネリング: Ethernet over IPv4)

回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1468bytes							
	64	128	256	512	1024	1280	1468	1518
Packets/sec	371,724.6	349,406.6	323,450.2	305,340.6	231,053.4	186,867.0	163,913.2	102,288.4
Mbps	249.8	413.7	714.2	1,299.5	1,929.8	1,943.4	1,951.2	1,258.6