



平文中継 (IPv4 Ethernet)



回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes)						
	64	128	256	512	1024	1280	1518
Packets/sec	769,508.2	697,123.8	623,902.4	469,925.0	239,463.8	192,307.8	162,548.8
Mbps	517.1	825.4	1,377.6	2,000.0	2,000.0	2,000.0	2,000.0

平文中継 (IPv4 PPPoE)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 66bytes、フラグメント前の最大値: 1472bytes							
	66	128	256	512	1024	1280	1472	1518
Packets/sec	686,384.4	636,149.8	526,697.2	462,589.6	237,594.8	191,182.2	166,743.0	155,095.6
Mbps	472.2	753.2	1,162.9	1,968.8	1,984.4	1,988.3	1,990.2	1,908.3

平文中継 (IPinIPトンネリング: IPv4 over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1498bytes							
	64	128	256	512	1024	1280	1498	1518
Packets/sec	589,489.2	571,879.8	543,487.2	452,962.2	235,025.0	189,493.6	162,601.8	152,716.8
Mbps	396.1	677.1	1,200.0	1,927.8	1,962.9	1,970.7	1,974.6	1,879.0

平文中継 (EtherIPトンネリング: Ethernet over IPv4)


回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes) ※最小値: 64bytes、フラグメント前の最大値: 1472bytes							
	64	128	256	512	1024	1280	1472	1518
Packets/sec	568,549.8	548,160.8	513,309.6	440,223.6	231,577.8	187,218.2	163,713.0	153,227.8
Mbps	382.1	649.0	1,133.4	1,873.6	1,934.1	1,947.1	1,954.1	1,885.3

平文中継 (L2TPv3トンネリング: Ethernet over IPv4)

回線速度: 1Gbps、双方向フロー印加



	測定フレームサイズ (bytes)							
	※最小値: 64bytes、フラグメント前の最大値: 1468bytes							
	64	128	256	512	1024	1280	1468	1518
Packets/sec	561,176.6	524,174.6	457,701.4	408,903.8	231,143.8	186,939.2	163,929.8	153,041.2
Mbps	377.1	620.6	1,010.6	1,740.3	1,930.5	1,944.2	1,951.4	1,883.0