

Specification of Pipe cover

List of items

1. Specification

(1) for Water supply line

- pipe cover (Naked type)
- One-touch installation pipe cover
- Pipe cover
- Pipe cove (Thickness: 5mm)

(2) for Hot water supply line

- Heatproof pipe cover
- Heatproof pipe cover (Naked type)
- One-touch installation pipe cover

(3) for Air-conditioning pipe

- Naked type
- One-touch type

(1)-1 Pipe cover for water supply line (Naked type)

Commodity sign	Name	Size	Number of packing	Acceptable tube	
		Inside diameter X thickness X length (mm)		Vinyl chloride tube	Steel pipe
PC-13	P1-1810	18 × 10 × 2000	70	VP-13	GP-10A
PC-16	P1-2210	22 × 10 × 2000	60	VP-16	GP-15A
PC-20	P1-2610	26 × 10 × 2000	50	VP-20	—
GC-20	P1-2810	28 × 10 × 2000	50	—	GP-20A
PC-25	P1-3210	32 × 10 × 2000	40	VP-25	—
GC-25	P1-3510	35 × 10 × 2000	40	—	GP-25A
PC-30	P1-3810	38 × 10 × 2000	30	VP-30	—
GC-32	P1-4310	43 × 10 × 2000	25	—	GP-32A
PC-40	P1-4910	49 × 10 × 2000	25	VP-40	GP-40A
PC-50	P1-6110	61 × 10 × 2000	20	VP-50	GP-50A

(1)-2 One-touch installation pipe cover for water supply line

Commodity sign	Name	Size	Number of packing	Acceptable tube	
		Inside diameter X thickness X length (mm)		Vinyl chloride tube	Steel pipe
VPC-5	VP1-1610	16 × 10 × 2000	80	—	—
VPC-13	VP1-1810	18 × 10 × 2000	70	VP-13	GP-10A
VPC-16	VP1-2210	22 × 10 × 2000	60	VP-16	GP-15A
VPC-20	VP1-2610	26 × 10 × 2000	50	VP-20	—
VGC-20	VP1-2810	28 × 10 × 2000	50	—	GP-20A
VPC-25	VP1-3210	32 × 10 × 2000	40	VP-25	—
VGC-25	VP1-3510	35 × 10 × 2000	40	—	GP-25A
VPC-30	VP1-3810	38 × 10 × 2000	30	VP-30	—
VGC-32	VP1-4310	43 × 10 × 2000	25	—	GP-32A
VPC-40	VP1-4910	49 × 10 × 2000	25	VP-40	GP-40A
VPC-50	VP1-6110	61 × 10 × 2000	20	VP-50	GP-50A

(1)-3 Pipe cover for water supply line

Commodity sign	Name	Size	Number of packing	Acceptable tube	
		Inside diameter X thickness X length.(mm)		Vinyl chloride tube	Steel pipe
KC-13	P1-1820	18 × 20 × 2000	30	VP-13	GP-10A
KC-16	P1-2220	22 × 20 × 2000	25	VP-16	GP-15A
KC-20	P1-2620	26 × 20 × 2000	20	VP-20	—
KC-25	P1-3220	32 × 20 × 2000	20	VP-25	—
KC-30	P1-3820	38 × 20 × 2000	15	VP-30	—

(1)-4 Pipe cover for water supply line (Thickness: 5mm)

Commodity sign	Size	Number of packing	Acceptable tube
	Inside diameter X thickness X length (mm)		Vinyl chloride tube
VDP-20	26 × 5 × 2000	70	VP20
VDP-25	32 × 5 × 2000	60	VP25
VDP-30	38 × 5 × 2000	50	VP30
VDP-40	49 × 5 × 2000	40	VP40

(2)-1 Heatproof pipe cover (Naked type) *120°C in water temperature in pipe

Commodity sign	Name	Size	Number of packing	Acceptable tube	
		Inside diameter X thickness X length (mm)		Steel pipe	Copper pipe
HGC-5	P2-1610	16 × 10 × 2000	80	—	15.88
HGC-10	P2-1810	18 × 10 × 2000	70	GP-10A	—
H-2010	P2-2010	20 × 10 × 2000	70	—	19.05
HGC-15	P2-2210	22 × 10 × 2000	60	GP-15A	22.23
H-2610	P2-2610	26 × 10 × 2000	50	—	25.4
HGC-20	P2-2810	28 × 10 × 2000	50	GP-20A	28.58
H-3210	P2-3210	32 × 10 × 2000	40	—	31.75
HGC-25	P2-3510	35 × 10 × 2000	40	GP-25A	34.93
H-3810	P2-3810	38 × 10 × 2000	30	—	38.1
HGC-32	P2-4310	43 × 10 × 2000	25	GP-32A	41.28
HGC-40	P2-4910	49 × 10 × 2000	25	GP-40A	—
HGC-50	P2-6110	61 × 10 × 2000	20	GP-50A	—

(2)-2 One-touch installation pipe cover for hot water supply line

*120°C in water temperature in pipe

Commodity sign	Name	Size	Number of packing	Acceptable tube	
		Inside diameter X thickness X length (mm)		Steel pipe	Copper pipe
VHGC-5	VP2-1610	16 × 10 × 2000	80	—	15.88
VHGC-10	VP2-1810	18 × 10 × 2000	70	GP-10A	—
VH-2010	VP2-2010	20 × 10 × 2000	70	—	19.05
VHGC-15	VP2-2210	22 × 10 × 2000	60	GP-15A	22.23
VH-2610	VP2-2610	26 × 10 × 2000	50	—	25.4
VHGC-20	VP2-2810	28 × 10 × 2000	50	GP-20A	28.58
VH-3210	VP2-3210	32 × 10 × 2000	40	—	31.75
VHGC-25	VP2-3510	35 × 10 × 2000	40	GP-25A	34.93
VH-3810	VP2-3810	38 × 10 × 2000	30	—	38.1
VHGC-32	VP2-4310	43 × 10 × 2000	25	GP-32A	41.28
VHGC-40	VP2-4910	49 × 10 × 2000	25	GP-40A	—
VHGC-50	VP2-6110	61 × 10 × 2000	20	GP-50A	—

(2)-3 Heatproof pipe cover for hot water supply line

*120°C in water temperature in pipe

Commodity sign	Name	Size	Number of packing	Acceptable tube	
		Inside diameter X thickness X length (mm)		Steel pipe	Copper pipe
KH-1/4	P2-0820	8 × 20 × 2000	40	—	6.35
KH-3/8	P2-1020	10 × 20 × 2000	35	—	9.52
KH-1/2	P2-1320	13 × 20 × 2000	35	—	12.7
KH-5/8	P2-1620	16 × 20 × 2000	30	—	15.88
KH-3/4	P2-2020	20 × 20 × 2000	30	—	19.05
KH-7/8	P2-2220	22 × 20 × 2000	25	GP-15A	22.23
KH-1	P2-2620	26 × 20 × 2000	25	—	25.4
KH-1 1/8	P2-2820	28 × 20 × 2000	20	GP-20A	28.58
KH-1 1/4	P2-3220	32 × 20 × 2000	20	—	31.75
KH-1 3/8	P2-3520	35 × 20 × 2000	15	GP-25A	34.93
KH-1 1/2	P2-3820	38 × 20 × 2000	15	—	38.1

(3)-1 Heat insulator for air-conditioning pipe (Naked type)

Commodity sign		Size	Number of packing	Acceptable tube
冷房専用	冷暖兼用	Inside diameter X thickness X length (mm)		Copper pipe
CC-2	HCC-2	8 × 8 × 2000	180	6.35
CC-3	HCC-3	10 × 8 × 2000	150	9.52
CC-4	HCC-4	13 × 8 × 2000	100	12.7
CC-5	HCC-5	16 × 8 × 2000	80	15.88
CC-6	HCC-6	20 × 8 × 2000	70	19.05

(3)-2 Heat insulator for air-conditioning pipe (One-touch type)

Commodity sign		Size	Number of packing	Acceptable tube
冷房専用	冷暖兼用	Inside diameter X thickness X length (mm)		Copper pipe
VCC-2	VHCC-2	8 × 6 × 2000	180	6.35
VCC-3	VHCC-3	10 × 6 × 2000	150	9.52
VCC-4	VHCC-4	13 × 6 × 2000	100	12.7
VCC-5	VHCC-5	16 × 6 × 2000	100	15.88
VCC-6	VHCC-6	20 × 6 × 2000	70	19.05